

Preliminary Amendment

Atty Dkt No.: 1998P07977US03

Serial No.: 09/218,783

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

RECEIVED
CENTRAL FAX CENTER

APR 13 2007

Listing of Claims:

1. (currently amended) A group pickup system in a communication network having one or more servers, said group pickup system comprising:

one or more call group locations associated with different ones of said one or more servers, each of said one or more servers including call group lists of members for each call group, said each call group having listed members from said one or more call group locations;
an invite request unit to invoke the group pickup system;

a group pickup request unit responsive to said invite request unit to establish a connection to any of a plurality of [[a]] group pickup destinations destination to enable a call to a called caller station to be picked up from any group pickup [[said]] destination, said destination being comprising ~~any of said one or more group locations and~~ selected responsive to one of an alerting listed group member location and a responding listed group member location; and

a retrieval request unit to connect a call pickup station with said call to said called caller station.

2. (original) The system as recited in claim 1 further including an exception handler adapted to handle failures in the group pickup system.

3. (previously presented) The system as recited in claim 1, wherein said one or more servers is a plurality of servers, ones of said plurality being capable of controlling call service functions on others of said plurality of servers, and wherein a call pickup party may be located on any server within the network.

4. (currently amended) The system as recited in claim 1, wherein each a parked caller may be ~~picked up from any server~~ micro-controls pickup functions for resident group members and

Preliminary Amendment

Atty Dkt No.: 1998P07977US03

Serial No.: 09/218,783

responds to group pickup requests and status notification from other ones of said one or more servers within the network.

5. (original) The system as recited in claim 2, wherein said network failure may include excessive network congestion.

6. (original) The system as recited in claim 2, wherein said network failure may include a vacant number.

7. (original) The system as recited in claim 2, wherein said network failure may include no route to destination.

8. (currently amended) The system as recited in claim 1, wherein picking up said call at said destination selects said destination ~~said user selectable park location is said destination's background task.~~

9. (currently amended) A method for picking up a call in a group pickup system in a communication network having one or more servers, each of said one or more servers including call group lists of members for each call group, said each call group having listed members from said one or more call group locations, said method comprising:

invoking the group pickup system;

establishing a connection to a group pickup destination to enable said call caller to be parked at said group pickup destination, said group pickup destination being one comprising any of said one or more group locations associated with one ~~any of a plurality~~ of said one or more servers ~~located anywhere within the network~~; and

connecting a call pickup destination ~~[[party]]~~ with said parked call caller, said call pickup destination ~~[[party]]~~ being a ~~listed group member connected at~~ another one of said one or more group locations, said call pickup destination picking up responsive to control of an associated one of said one or more servers;

wherein said group pickup system comprises a supplementary service group pickup system.

Preliminary Amendment

Atty Dkt No.: 1998P07977US03

Serial No.: 09/218,783

10. (original) The method as recited in claim 9, further including the step of handling failures in the group pickup system.

11. (previously presented) The method as recited in claim 9, wherein one or more servers is a plurality of servers, at least one said call group having listed members from call group locations associated with each of at least two of said plurality of servers, ones of said plurality of servers being capable of controlling call service functions on others of said plurality of servers, said method further including the step of picking up said parked call ~~a caller~~ from any said at least one call group pickup destination ~~anywhere~~ within the network.

12. (currently amended) A group pickup system in a communication network having one or more servers, said group pickup system comprising:

means for maintaining call group lists of members for a plurality of call groups;

means for invoking the group pickup system;

means responsive to said invoking means for establishing a connection to a group pickup destination to enable parking calls ~~said caller to be parked~~ at said group pickup destination, said group pickup destination being a first comprising any of said one or more group locations associated with one any of a plurality of said one or more servers ~~located anywhere within the network~~; and

means for connecting a listed call group pickup destination as a pickup destination party with a [[said]] parked call caller, said ~~listed call~~ pickup destination party being connected at another one of said one or more group locations located anywhere within the network;

wherein said group pickup system comprises a supplementary service group pickup system.

13. (original) The system as recited in claim 12 further including means for handling failures in the group pickup system.

14. (currently amended) The system as recited in claim 12, wherein one or more servers is a plurality of servers, ones of said plurality being capable of controlling call service functions on

Preliminary Amendment

Atty Dkt No.: 1998P07977US03

Serial No.: 09/218,783

others of said plurality of servers, said system further including means for picking up calls a ~~parked caller~~ from anywhere within the network.

15. (currently amended) A system for enabling group pickup in a communications network including a plurality of servers, ones of said plurality being capable of controlling call service functions enabling incoming calls to a stations associated with other servers to be picked up by local stations associated with said ones ~~on others of said plurality of servers~~, each of said ones servers comprising:

group list storage storing lists of members for a plurality of call groups;

a request unit to enable operation of the group pickup system when there is an unanswered call at a listed member station;

a connect unit responsive to said request unit to make local and/or remote connections to various local and/or remote listed group member stations associated with said ones ~~different servers within the network~~ which may act as call pickup stations or unanswered stations; and

a call establishing unit for establishing a connection between the calling station and a selected call pickup station, wherein the calling station and selected call pickup station may be associated with different servers and define listed member stations.

16. (currently amended) A system according to claim 15, in which the request unit comprises:

an automatic mode unit that automatically searches for a listed group member local station that may be available to pick up an unanswered call, and selectively designates an identified listed group member local station as said selected call pickup station; and

a manual mode unit that is initiated by a listed group member who is aware of an unanswered call at another station and searches for an alerting listed group member station, wherein said manual mode unit designates an identified said alerting listed group member station as said selected call pickup station.

17. (currently amended) A system according to claim 15, wherein each of said ones further comprises ~~comprising~~ a remote search unit to search for a listed remote group member that is alerting or available preferably using a temporary signaling connection.

Preliminary Amendment

Atty Dkt No.: 1998P07977US03

Serial No.: 09/218,783

18. (previously presented) A system according to claim 17, wherein the remote search unit sends a facility request to search all the listed group member stations at a remote location.

19. (currently amended) A system according to claim 15, wherein each of said ones further comprises ~~comprising~~ a queue/dequeue unit for selecting a group member from a database including listed groups.

20. (currently amended) A system according to claim 15, wherein each of said ones further comprises ~~comprising~~ means for assessing whether an available/alerting listed group member station fulfills set criteria before final selection thereof.

21. (currently amended) A system according to claim 15, wherein each of said ones further comprises ~~comprising~~ a release links unit to release any temporary links used in establishing the connection and/or convert them to a bearer service cell.

22. (currently amended) A method of enabling group pickup in a communications network including a plurality of servers, ones of said plurality being capable of controlling call service functions enabling incoming calls to a stations associated with other servers to be picked up by local stations associated with said ones ~~on others of said plurality of servers~~, said method comprising:

maintaining call group lists of members for a plurality of call groups;

enabling the group pickup operation when there is an unanswered call at a listed member station anywhere on the network;

making local and/or remote connections to various local and/or remote listed group member stations which may act as call pickup stations or unanswered stations; and

establishing a connection between the calling station and a selected call pickup local station, wherein call pickup local stations and unanswered stations are associated with listed members of the same call group and different servers.

Preliminary Amendment

Atty Dkt No.: 1998P07977US03

Serial No.: 09/218,783

23. (currently amended) A method according to claim 22, further including the step of automatically searching for a listed group member local station that may be available to pick up an unanswered call.

24. (currently amended) A method according to claim 22, further including the step of searching for an alerting group member local station triggered by a listed group member who is aware of an unanswered call at another station.

25. (previously presented) The method as recited in claim 22, further including the step of handling failures in the group pickup system.

26. (previously presented) The method as recited in claim 22, further including the step of picking up a call from anywhere within the network.

27. (currently amended) A telecommunications system comprising:

a plurality of servers, ones of said plurality being capable of controlling call service functions enabling incoming calls to a stations associated with other servers to be picked up by local stations associated with said ones ~~on others of said plurality of servers~~;

a plurality of telephone devices associated with said plurality of servers; and

a group pickup system including at least one call group list listing members in a group pickup group comprising a predetermined number of said plurality of telephony devices associated with different ones of said plurality of servers and which allows call pickup of any call to a listed group member by any listed group member station connected to any of said plurality of servers.